

RITO



Rito, innovation venerates quality.

Cutting-edge design that is able to combine visual appeal with pleasing functionality, optimum technological reliability and brewing solutions that can be tailored to any specific blend: this new line is the ideal solution for all bars where a quality espresso is a real ritual.





RITO | COLOR BLACK | STANDARD AND TALL CUP | 2 AND 3 GROUPS



Rito & Rito Touch



Brewing gauge and stainless-steel water wand



Steam lever



LCD TFT 4.3" color touchscreen programming menu



Ergonomic filter-holding grip, tilted by 10 degrees

Rito




Stainless steel steam wand




Mechanical keypad

Rito Touch



Stainless steel Cold Touch steam wand



Backlit touchscreen pad



Bullone Rosso (Red Bolt) system



|| OPTIMIZED COFFEE EXTRACTION OWING TO THE NEW B16 UNIT WITH STATIC PRE-BREWING. || ADJUSTABLE BREWING TEMPERATURE DEPENDING ON THE TYPE OF THE BLEND, THANKS TO THE THERMOSIPHON SYSTEM (IN SETUP PHASE). || HEAT STABILITY GUARANTEED BY THE BULLONE ROSSO SYSTEM, EXCLUSIVE BIANCHI INDUSTRY TECHNOLOGY (ON RITO TOUCH).

Make the best espresso with any blend: this is the first Rito specialty in all its versions. But that's not all. The Cold Touch steam wand with an insulating and non-stick coating facilitates the cleaning and helps the barista to make unbeatable cappuccinos whatever is the type of milk (regular milk or vegetable milk). In addition, in order to give intense pleasure to tea lovers, the machine enables three water temperature levels to be programmed in order to enhance aromas and respect the brewing rules for all types of tea: green tea, black tea or aromatized tea.



Taste as a fine art.

**BULLONE
ROSSO** 

THE RANGE CONSISTS OF TWO VERSIONS: RITO AND RITO TOUCH. A TOTAL OF EIGHT MODELS: STANDARD AND TALL CUP, 2 OR 3 GROUPS.

A complete and versatile range.

Two versions, eight models, maximum customization: the Rito range has a solution for all types of professional. For baristas who love doing things the traditional way, there is the mechanical version and for those who prefer the convenience of technology, there's Rito Touch.

Freedom to customize.

Are you a roaster? You can customize the keyboard panel with the company logo to enhance the machine's visibility in public places and transform Rito into a publicity tool. The entire range in fact enables the front area to be customized at will with logos, images and colors.





Attractive design with LED technology for the keypad.

Technological innovation combined with a design that will blend in with any environment and make a barista's job much easier. The clean and essential lines and the quality of the mate-

rials enhance work spaces whereas the ergonomic thought behind the functional development makes the Rito range easy to use for all the many daily tasks.

|| MECHANICAL KEYPAD (RITO) OR CUSTOMIZABLE BACKLIT TOUCHSCREEN (RITO TOUCH). || LCD TFT 4.3" COLOR TOUCHSCREEN DISPLAY (RITO AND RITO TOUCH). || LED LIGHTING OF THE WORK AREAS (RITO TOUCH).





Rito, l'innovazione venera la qualità.

brasilia

|| GRAPHIC LCD DISPLAY OF GENERAL STATE AND CONSUMPTION OF THE MACHINE. || ENERGY SAVING MODE AND LED LOW-CONSUMPTION LIGHTING. || CONFORMITY TO ROHS AND WEEE STANDARDS. || CERTIFICATION: EMC, CB REPORT, CE.

|| AUTOMATIC WASHING OF THE UNITS (SEQUENTIAL OR PARALLEL). || BLUETOOTH UPGRADE FOR REMOTE MAINTENANCE BY DIGITAL APPLICATION.



A safe working environment.

Quality and innovation are also measured by the degree of safety for the baristas who work each day in contact with Rito Touch that, owing to the Cold Touch steam wand, provides maximum protection against scalding.



Cleaning and maintenance in a few instants.

The Rito range makes cleaning for baristas and maintenance by after-sales service centers fast and simple. Linear design without areas that are hard to reach, automated operations, components that can be washed in the dishwasher and immediate access to the internal structure: every detail has been designed to maintain the machine's long-term reliability, avoiding unnecessary wasting of time and energy.

Rito & Rito Touch range



Rito 2 Gr



Rito 3 Gr



Rito 2 Gr Tall Cup



Rito 3 Gr Tall Cup



Rito Touch 2 Gr



Rito Touch 3 Gr



Rito Touch 2 Gr Tall Cup



Rito Touch 3 Gr Tall Cup

An immediate diagnosis increases the efficiency of the machine: with Rito and Rito Touch, maintenance becomes fast and simple. The Usb port enables the machine to be updated just by inserting a Usb key whereas the telemetry is an essential technical support for remote control by technicians or roasters. In addition, the Rito range is set up to be upgraded with Bluetooth and can be conveniently managed by the barista via the dedicated digital application.

Touch/Usb control:

- || Consumption control, also for the individual barista.
- || Machine status (temperature, filter, pressure, faults, washing record, boiler fullness state, statistics for individual units).
- || Control of use for units.

Control by telemetry:

- || Support for technical assistance or maintenance.
- || Total consumption.
- || Remote fault reset.
- || Software update.

Maximum control of performance.




BLUETOOTH USB


Accessories are compatible with all the models.

- ▶ Cup warmer (standard on Rito Touch).
- ▶ Telemetry system (for remote connection).
- ▶ Bluetooth kit (for programming and diagnostics).

Rito 2 Gr 3 Gr

Mechanical keypad	standard	standard
		
LCD TFT 4.3" color touchscreen display	standard	standard
Connection Bluetooth	optional	optional
Connection USB	standard	standard
Cups-warmer	optional	optional

Rito Touch 2 Gr 3 Gr

LED RGB backlit capacitive keypad	standard	standard
		
LCD TFT 4.3" color touchscreen display	standard	standard
Connection Bluetooth	optional	optional
Connection USB	standard	standard
Cups-warmer	standard	standard

RITO 2 GR

Version	Standard / Tall Cup*
Cups capacity	45 cups Ø 65
Boiler capacity	11 l
Boiler resistance	4200 W
Power supply	380-400 V 3N ~ 50 Hz 220-240 V 1N ~ 50 Hz
Water supply	3/8" F
Water wand num. - Steam wand num.	1 - 2
Dimensions and weight	W 770 x D 535 x H 555 - 70 kg

RITO TOUCH 2 GR

Version	Standard / Tall Cup*
Cups capacity	45 cups Ø 65
Boiler capacity	11 l
Boiler resistance	4200 W
Bullone Rosso stabilized boiler (Red Bolt)	0,38 l - 1000 W
Power supply	380-400 V 3N ~ 50 Hz 220-240 V 1N ~ 50 Hz
Water supply	3/8" F
Water wand num. - Steam wand num.	1 - 2 Cold Touch
Dimensions and weight	W 770 x D 535 x H 555 - 71 kg

RITO 3 GR

Version	Standard / Tall Cup*
Cups capacity	45 cups Ø 65
Boiler capacity	17,5 l
Boiler resistance	5200 W
Power supply	380-400 V 3N ~ 50 Hz 220-240 V 1N ~ 50 Hz
Water supply	3/8" F
Water wand num. - Steam wand num.	1 - 2
Dimensions and weight	W 1010 x D 535 x H 555 - 90 kg

RITO TOUCH 3 GR

Version	Standard / Tall Cup*
Cups capacity	45 cups Ø 65
Boiler capacity	17,5 l
Boiler resistance	5200 W
Bullone Rosso stabilized boiler (Red Bolt)	0,38 l - 1000 W
Power supply	380-400 V 3N ~ 50 Hz 220-240 V 1N ~ 50 Hz
Water supply	3/8" F
Water wand num. - Steam wand num.	1 - 2 Cold Touch
Dimensions and weight	W 1010 x D 535 x H 555 - 91 kg

* Tall Cup version: useful height for the positioning of the cup: 140 mm



